L Number	Hits	Search Text	DB	Time stamp
-	0	(proxy with (host or origin) with (user	USPAT;	2003/10/08
		or client or custoomer or sender) with	US-PGPUB	08:40
		(request\$4 or send\$4 or receiv\$4) same		
		token) and protocol and (rule or policy		
		or access or database) and @ad<20000118		
_	0	(proxy with (host or origin) with (user	USPAT;	2003/10/08
		or client or custoomer or sender) with	US-PGPUB	08:41
		(request\$4 or send\$4 or receiv\$4) same		
		token) and protocol and (right or		
		privilege or rule or policy or access or		
	,	database) and @ad<20000118		2002/10/00
-	4	'L' =2	USPAT;	2003/10/08
		or client or custoomer or sender) with	US-PGPUB	08:50
		(request\$4 or send\$4 or receiv\$4)) and		
		token and cookie and protocol and (right		ļ
		or privilege or rule or policy or access		
	21	or database) and @ad<20000118	MCDAM.	2002/10/00
-	21	(proxy with (host or origin or server ) with (user or client or customer or	USPAT; US-PGPUB	2003/10/08
		sender) with (request\$4 or send\$4 or	US-PGPUB	09:01
		receiv\$4)) and token and cookie and		
		receiva4)) and token and cookie and   protocol and (right or privilege or rule		
	· ·	or policy or access ) and @ad<20000118		
_	22		USPAT;	2003/10/08
	22	with (user or client or customer or	US-PGPUB	10:09
		sender) with (request\$4 or send\$4 or	OS FGFOB	1 10.09
		receiv\$4)) and token and cookie and		1
		protocol and (right or privilege or rule		
		or policy or access or authenticat\$4 or		
		authori\$6 ) and @ad<20000118		1
_	32	(proxy same (host or origin or server )	USPAT;	2003/10/09
		same (user or client or customer or	US-PGPUB	07:49
		sender) same (request\$4 or send\$4 or		
		receiv\$4)) and token and cookie and		
		protocol and (right or privilege or rule		1
		or policy or access or authenticat\$4 or		
		authori\$6 ) and @ad<20000118	İ	i l
-	10	((proxy same (host or origin or server)	USPAT;	2003/10/08
		same (user or client or customer or	US-PGPUB	09:05
		sender) same (request\$4 or send\$4 or		
		receiv\$4)) and token and cookie and		
		protocol and (right or privilege or rule		
		or policy or access or authenticat\$4 or	•	
		authori\$6 ) and @ad<20000118) not ((proxy		
		with (host or origin or server ) with		
		(user or client or customer or sender)		
		with (request\$4 or send\$4 or receiv\$4))		
		and token and cookie and protocol and		
		(right or privilege or rule or policy or		
		access or authenticat\$4 or authori\$6 )		
		and @ad<20000118)		0002/10/00
<del>-</del>	23		USPAT;	2003/10/08
		with (user or client or customer or	US-PGPUB	10:07
		sender or resource or browser) with	,	
		(request\$4 or send\$4 or receiv\$4)) and		
		token and cookie and protocol and (right		
		or privilege or rule or policy or access		
		or authenticat\$4 or authori\$6 ) and		
		@ad<20000118	IICDAM.	2002/10/09
_	22	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2003/10/08
	1	with (user or client or customer or	US-PGPUB	10:09
		sender) with (request\$4 or send\$4 or		
		receiv\$4)) and token and cookie and protocol and (right or privilege or rule		
				·
		or policy or access or authenticat\$4 or authori\$6 ) and @ad<20000118	1	
L	<u>L</u> .	auchorias / and eau-20000110	L	<u> </u>

				•
-	1	((proxy with (host or origin or server )	USPAT;	2003/10/08
		with (user or client or customer or	US-PGPUB	10:10
		sender or resource or browser) with		
		(request\$4 or send\$4 or receiv\$4)) and		
		token and cookie and protocol and (right		
		or privilege or rule or policy or access		
		or authenticat\$4 or authori\$6 ) and		
		@ad<20000118) not ((proxy with (host or		
		origin or server ) with (user or client		
		or customer or sender) with (request\$4 or		
	İ	send\$4 or receiv\$4)) and token and cookie		
	1 .	and protocol and (right or privilege or		
		rule or policy or access or authenticat\$4		
		or authori\$6 ) and @ad<20000118 )		
	29	'F2	USPAT;	2003/10/08
	1	same (user or client or customer or	US-PGPUB	10:34
		sender) same (request\$4 or send\$4 or		
		receiv\$4)) and token and cookie and		
		protocol and (right or privilege or rule		
		or policy or access or authenticat\$4 or		
_	29	authori\$6 ) and state and @ad<20000118 (proxy same (host or origin\$4 or server)	USPAT;	2003/10/08
	29	same (user or client or customer or	US-PGPUB	10:40
	,	sender) same (request\$4 or send\$4 or	05 19105	10.40
		receiv\$4)) and token and cookie and		
		protocol and (right or privilege or rule		
		or policy or access or authenticat\$4 or		
		authori\$6 ) and state and @ad<20000118		
_	29	(proxy same (host or origin\$4 or server )	USPAT;	2003/10/09
		same (user or client or customer or	US-PGPUB	15:50
		sender or recipient) same (request\$4 or		
		send\$4 or receiv\$4)) and token and cookie		
		and protocol and (right or privilege or	_	
,		rule or policy or access or authenticat\$4		
		or authori\$6 ) and state and @ad<20000118		
-	6	("5805803"   "5961593"   "6081900"	USPAT	2003/10/08
	_	"6112228"   "6209100"   "6226752").PN.		13:59
_	5	6085321.URPN.	USPAT	2003/10/08
		//	***********	14:07
_	9	((proxy same (host or origin\$4 or server	USPAT; US-PGPUB	2003/10/08
		) same (user or client or customer or sender or recipient) same (request\$4 or	US-FGFUD	15:42
	1	sender of receiv\$4)) and token and cookie		
		and protocol and (right or privilege or		
1		rule or policy or access or authenticat\$4		
	1 .	or authori\$6 ) and state and		
	1 .	@ad<20000118) and novel1		
-	32	((proxy same (host or origin\$4 or server	USPAT;	2003/10/08
1	1	) same (user or client or customer or	US-PGPUB	15:43
	1	sender or recipient) same (request\$4 or		
	1	send\$4 or receiv\$4)) and token and cookie		
	1	and protocol and (right or privilege or		
	1	rule or policy or access or authenticat\$4		
		or authori\$6 ) and @ad<20000118)		0000/10/20
-	29	(proxy same (host or origin\$4 or server)	USPAT;	2003/10/08
	1	same (user or client or customer or	US-PGPUB ·	15:44
		sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie		
:	1	and protocol and (right or privilege or		
1	1	rule or policy or access or authenticat\$4	1	
	1	or authori\$6 ) and state and @ad<20000118		
L	<u> </u>	of addition , and beate and causeoutile	L	<u> </u>

-	. 3	(((proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or	USPAT; US-PGPUB	2003/10/08 15:44
		rule or policy or access or authenticat\$4 or authori\$6 ) and @ad<20000118) ) not ((proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or good\$4 or recipient) and taken and sockies		
	·	send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and state and @ad<20000118		·
_	9	((proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and @ad<20000118) and novel1	USPAT; US-PGPUB	2003/10/08 17:20
-	. 48	(proxy and (host or origin or server ) same (user or client or customer or sender) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or	USPAT; US-PGPUB	2003/10/09 16:06
-	1	authori\$6 ) and @ad<20000118 ((transparent adj proxy) and (host or origin or server ) same (user or client or customer or sender) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4	USPAT; US-PGPUB	2003/10/09 07:53
-	1	or authori\$6 ) and @ad<20000118 ((transparent adj proxy) and (host or origin or server ) and (user or client or customer or sender) same (request\$4 or send\$4 or receiv\$4)) and token and cookie	USPAT; US-PGPUB	2003/10/09 07:54
-	4	and protocol and @ad<20000118 ((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender) same (request\$4 or send\$4 or receiv\$4)) and token and	USPAT; US-PGPUB	2003/10/09 08:23
-	4	protocol and @ad<20000118  ((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and (forward\$4 with authorization with no\$2 or without) and @ad<20000118	USPAT; US-PGPUB	2003/10/09 08:29
-		((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and (forward\$4 with authorization with (no\$2 or without) ) and @ad<20000118	USPAT; US-PGPUB	2003/10/09 08:31
-	0	((transparent adj proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and (forward\$4 with (portion or authorization) with (no\$2 or without)) and @ad<20000118	USPAT; US-PGPUB	2003/10/09 08:31

		_		
_	14	<pre>(( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and (forward\$4 with (portion or authorization) with (no\$2 or without)</pre>	USPAT; US-PGPUB	2003/10/09 08:37
-	80	) and @ad<20000118 (( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and (forward\$4 with (portion or	USPAT; US-PGPUB	2003/10/09 08:42
_	. 202	authorization) ) and @ad<20000118 (( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion ) with (request or authorization or token or cookie)) or ((no\$2 or without) with ( authorization or cookie or token ) )) and	USPAT; US-PGPUB	2003/10/09 08:47
_	. 38	<pre>@ad&lt;20000118   (( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and   ((forward\$4 with (piece or portion ) with (request or authorization or token or cookie)) or ((no\$2 or without)with   (forward\$4) with ( authorization or</pre>	USPAT; US-PGPUB	2003/10/09
-		cookie or token ) )) and @ad<20000118 ((transparent adj proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token ))) and	USPAT; US-PGPUB	2003/10/09 13:00
-	42	@ad<20000118 (( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion or strip\$4 ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token ) ))and @ad<20000118	USPAT; US-PGPUB	2003/10/09 09:26
		((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion or strip\$4 ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token ) )) and @ad<20000118) not ((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (	USPAT; US-PGPUB	2003/10/09 12:53
		authorization or cookie or token ) ))and   @ad<20000118)		

1	
sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion or strip\$4 ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token ))and @ad<20000118) not ((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token )))and @ad<20000118)  (((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and	
<pre>(request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion or strip\$4) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token)) and @ad&lt;20000118) not (((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token)))and @ad&lt;20000118)  3 ((((proxy) and (host or origin or server)) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and</pre>	
token and ((forward\$4 with (piece or portion or strip\$4 ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token)) and @ad<20000118) not (((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token))) and @ad<20000118)  3 ((((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and	
portion or strip\$4 ) with (request or authorization or token or cookie)) or ((no\$2 or without) with (forward\$4) with (authorization or cookie or token))) and @ad<20000118) not (((proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without) with (forward\$4) with (authorization or cookie or token))) and @ad<20000118)  3 ((((proxy) and (host or origin or server) and (user or client or customer or used)) sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and	
authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token ) )) and (ad<20000118) not ((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token ) )) and (ad<20000118)  (((( proxy) and (host or origin or server ) uspat; 2003/10 ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and	
((no\$2 or without)with (forward\$4) with ( authorization or cookie or token ) )) and @ad<20000118) not ((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token ) )) and @ad<20000118)  - 3 (((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and	
authorization or cookie or token ) )) and @ad<20000118) not ((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without) with (forward\$4) with (authorization or cookie or token))) and @ad<20000118)  - 3 (((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and	
@ad<20000118) not ((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token))) and @ad<20000118)  - 3 (((( proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and	·
origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token))) and @ad<20000118)  - 3 (((( proxy) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and	·
customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token)))and @ad<20000118)  (((( proxy) and (host or origin or server)) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and	
same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token)))and @ad<20000118)  3 (((( proxy) and (host or origin or server)) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and	
and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without) with (forward\$4) with (authorization or cookie or token))) and @ad<20000118)  3 (((( proxy) and (host or origin or server)) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and	
or portion ) with (request or authorization or token or cookie)) or ((no\$2 or without) with (forward\$4) with (authorization or cookie or token ))) and @ad<20000118)  3 (((( proxy) and (host or origin or server)) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and	
authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token ) )) and (ad<20000118)  3 (((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and	
<pre>((no\$2 or without)with (forward\$4) with ( authorization or cookie or token ) )) and @ad&lt;20000118)  (((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and</pre> USPAT; US-PGPUB 12:54	
authorization or cookie or token ) )) and (ad<20000118)  - 3 (((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and	
Gad<20000118)  (((( proxy) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and	
- 3 (((( proxy) and (host or origin or server ) uspat; 2003/10 ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and	
) and (user or client or customer or us-PGPUB 12:54 sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and	
sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and	/09
(request\$4 or send\$4 or receiv\$4)) and	
taken and //formande/th /	
token and ((forward\$4 with (piece or	
portion or strip\$4 ) with (request or	
authorization or token or cookie)) or	
((no\$2 or without) with (forward\$4) with (	
authorization or cookie or token ) ))and	
origin or server ) and (user or client or	
customer or sender or resource or web )	
same (request\$4 or send\$4 or receiv\$4))	
and token and ((forward\$4 with (piece	
or portion ) with (request or	
authorization or token or cookie)) or	·
((no\$2 or without) with (forward\$4) with (	
authorization or cookie or token ) ))and	
- 39 (((transparent adj proxy ) or ((remote or   USPAT;   2003/10	1/09
virtual) adj (computer or server))) and US-PGPUB   13:02	
(host or origin or server ) and (user or	
client or customer or sender or resource	
or web ) same (request\$4 or send\$4 or	
receiv\$4)) and token and ((forward\$4	
with (piece or portion ) with (request or	
authorization or token or cookie)) or	
((no\$2 or without)with (forward\$4) with (	
authorization or cookie or token ) ))and	
@ad<20000118	
- 36 ((((transparent adj proxy) or ((remote USPAT; 2003/10	1/09
or virtual) adj (computer or server))) US-PGPUB   13:02	
and (host or origin or server ) and (user	
or client or customer or sender or	
resource or web ) same (request\$4 or	
send\$4 or receiv\$4)) and token and	
((forward\$4 with (piece or portion )	
with (request or authorization or token	
or cookie)) or ((no\$2 or without)with	
(forward\$4) with (authorization or	
cookie or token ) ))and @ad<20000118) and	
"39"	,

-		((((transparent adj proxy)) or ((remote or virtual) adj (computer or server))) and (host or origin or server) and (user or client or customer or sender or resource or web) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with (authorization or cookie or token)) and @ad<20000118) and source	USPAT; US-PGPUB	2003/10/09 15:53
-	29	(proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and state and @ad<20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:51
-	0	(proxy same (host or origin\$4 or server) same (user or client or customer or sender or recipient) same (request\$4 or send\$4 or receiv\$4)) and token and cookie and protocol and (right or privilege or rule or policy or access or authenticat\$4 or authori\$6) and state and @ad<20000118	USOCR	2003/10/09 15:51
-	37	<pre>((((transparent adj proxy ) or ((remote or virtual) adj (computer or server))) and (host or origin or server ) and (user or client or customer or sender or resource or web ) same (request\$4 or send\$4 or receiv\$4)) and token and ((forward\$4 with (piece or portion ) with (request or authorization or token or cookie)) or ((no\$2 or without)with (forward\$4) with ( authorization or cookie or token ) )) and @ad&lt;20000118) and source</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:54
_			USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/09 15:54
-	. 23	1	USPAT; US-PGPUB	2003/10/09 16:07

_	23	(((transparent adj proxy ) or ((remote or	USPAT;	2003/10/09
		virtual) adj (computer or server))) same	US-PGPUB;	16:08
		(user or client or customer or sender)	EPO; JPO;	
		same (request\$4 or send\$4 or receiv\$4))	DERWENT;	
		and token and cookie and protocol and	IBM TDB	
		(right or privilege or rule or policy or	-	
		access or authenticat\$4 or authori\$6 )		
	İ	and @ad<20000118		